

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY

BREATH ALCOHOL PROGRAM

INTOX EC/IR II MAINTENANCE REPORT

RECEIVED

By Carol Day at 2:24 pm, Sep 05, 2014

Complete this report at the time o	f the regular monthly	y preventive main	enance check (not	to exceed 35	
days). Complete this report whenev					
into service. Retain the original	and send a copy with:	in 15 days to the	Breath Alcohol Pr	ogram, DHSS.	
INTOX EC/IR II SN	NAME OF AGENCY	-	DATE OF INSPECTION		
12687	SPRINGFIELD POLIC	CE DEPT.	08/25/2014		
LOCATION OF INSTRUMENT (STREET AND CITY	<u>'</u>		TIME OF INSPECTION		
1010 N BOONVILLE SPRINGFIELD			13:54 CDT		
CHECKLIST: Place a mark in the box	nd to be satisfact	ory or is operati	ng within		
established limits. (Write in obse					
before using instrument.					
X DIAGNOSTIC RECORD	11 111				, , , , , , , , , , , , , , , , , , , ,
X BLANK CHECK	•	X CO2 CHECK			
X FC 1 TEMP		X FLOW CHECK			
X SRC TEMP		X FCB CHECK			
X DET TEMP		X CRC COMP CHEC	יעי		
		ll			
X BT TEMP		X CRC CAL CHECK			
X STD 2 TEMP		X PRINT TEST			
X ETH CHECK					
BREATH ANALYZER ACCURACY STANDA	ARDS				
SIMULATOR SOLUTION		X COMPRESSED ET	HANOL-GAS MIXTU	RE	
X STANDARD SUPPLIER INTOX	IMETERS I	LOT# AG322402	EXP.	DATE 08/12/20	15
SIMULATOR TEMP (34°C +0.2°C)	SIMULAT	FOR S/N	SIMULATOR EXP I	DATE	
<u> </u>					
			1		
and an arrange of the state of			1		
X CALIBRATION CHECK - (ONLY ONE	STANDARD IS TO BE	USED PER MAINT	ENANCE REPORT)		
Run three tests using a stand	dard solution. All	. three tests mu	st be within ±59		
Run three tests using a stand and must have a spread of .00	dard solution. All	. three tests mu	st be within ±59		
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED)	dard solution. All 05 or less. Mark t	. three tests mu the box correspo	st be within <u>+</u> 59 nding to the sta		
Run three tests using a standand must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND	three tests muther box corresponded to 0.105% INCLUSI	st be within ±5% nding to the sta		
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.076% AND	three tests muche box corresponded to 0.105% INCLUSION 0.084% INCLUSION 0.	st be within $\pm 5^{5}$ nding to the stave VE		
Run three tests using a standand must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.076% AND	three tests muche box corresponded to 0.105% INCLUSION 0.084% INCLUSION 0.	st be within $\pm 5^{5}$ nding to the stave VE		
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND	three tests muche box corresponded to the correspondent of the correspondent of the correspondent to the correspondent of the correspon	st be within ±5% nding to the sta VE VE VE	andard solution	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.076% AND	three tests muche box corresponded to the correspondent of the correspondent of the correspondent to the correspondent of the correspon	st be within ±5% nding to the sta VE VE	andard solution	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.038% AND TEST 2 137 0.100 g	three tests muthe box correspondence of the	st be within ±5% nding to the state ve ve ve ve TEST 3 150 0.099	andard solution	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.038% AND TEST 2 137 0.100 g	three tests muthe box correspondence of the	st be within ±5% nding to the state ve ve ve ve TEST 3 150 0.099	andard solution	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	dard solution. All 05 or less. Mark t BETWEEN 0.095% AND BETWEEN 0.038% AND TEST 2 137 0.100 g	three tests muthe box correspondence of the	st be within ±5% nding to the state ve ve ve ve TEST 3 150 0.099	andard solution	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 35% 0.100 greats in the Follow .0509 1	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA I	st be within ±5% nding to the state ve ve ve TEST 3 ** 0.09% E THE LAST MAINT	endard solution g g/210L TENANCE REPORT:	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.100 g/210L INDICATE THE NUMBER OF BREATH T	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 35% 0.100 greats in the Follow .0509 1	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA I	st be within ±5% nding to the state ve ve ve TEST 3 ** 0.09% E THE LAST MAINT	endard solution g g/210L TENANCE REPORT:	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 35% 0.100 greats in the Follow .0509 1	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA I	st be within ±5% nding to the state ve ve ve TEST 3 ** 0.09% E THE LAST MAINT	endard solution g g/210L TENANCE REPORT:	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 35% 0.100 greats in the Follow .0509 1	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA I	st be within ±5% nding to the state ve ve ve TEST 3 ** 0.09% E THE LAST MAINT	endard solution g g/210L TENANCE REPORT:	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 35% 0.100 greats in the Follow .0509 1	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA I	st be within ±5% nding to the state ve ve ve TEST 3 ** 0.09% E THE LAST MAINT	endard solution g g/210L TENANCE REPORT:	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 35% 0.100 greats in the Follow .0509 1	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA I	st be within ±5% nding to the state ve ve ve TEST 3 ** 0.09% E THE LAST MAINT	endard solution g g/210L TENANCE REPORT:	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 35% 0.100 greats in the Follow .0509 1	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA I	st be within ±5% nding to the state ve ve ve TEST 3 ** 0.09% E THE LAST MAINT	endard solution 9 g/210L FENANCE REPORT: OVER .19 TO OPERATE	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	dard solution. All properties of less. Mark to between 0.095% and between 0.076% and between 0.038% and test 2 39 0.100 greats in the follow control of mation or modification muts (use other side if	three tests muche box correspondence of 0.105% INCLUSION 0.084% INCLUSION 0.042% INCLUSION INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA INCUSTA I	st be within ±5% nding to the state ve ve ve TEST 3 ** 0.09% E THE LAST MAINT	endard solution 9 g/210L FENANCE REPORT: OVER .19 TO OPERATE	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LIMETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 339 0.100 greats in the Follow .0509 1 RATION OR MODIFICATION MITS (USE OTHER SIDE IF	three tests muche box correspondence of 0.105% INCLUSI 0.0.084% INCLUSI 0.0.042% INCLUSI 0.1014 5 THAT WAS MADE TO RESENTE NECESSARY).	st be within ±5% nding to the state version of the	endard solution 9 g/210L FENANCE REPORT: OVER .19 TO OPERATE	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT MAKER EXPIRAT	dard solution. All properties of less. Mark to between 0.095% and between 0.076% and between 0.038% and test 2 35 0.100 greats in the follow control of modification must cuse other side if	three tests muche box correspondence of 0.105% INCLUSI 0.0.084% INCLUSI 0.0.042% INCLUSI 0.1014 5 THAT WAS MADE TO RESENTE NECESSARY).	st be within ±5% nding to the state version of the	endard solution 9 g/210L FENANCE REPORT: OVER .19 TO OPERATE	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT MAKER EXPIRAT	dard solution. All D5 or less. Mark to BETWEEN 0.095% AND BETWEEN 0.076% AND BETWEEN 0.038% AND TEST 2 339 0.100 greats in the Follow .0509 1 RATION OR MODIFICATION MITS (USE OTHER SIDE IF	three tests muche box correspondence of 0.105% INCLUSI 0.0.084% INCLUSI 0.0.042% INCLUSI 0.1014 5 THAT WAS MADE TO RESENTE NECESSARY).	st be within ±5% nding to the state version of the	endard solution 9 g/210L FENANCE REPORT: OVER .19 TO OPERATE	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 ** 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT MAKER EXPIRAT	dard solution. All properties of less. Mark to between 0.095% and between 0.076% and between 0.038% and test 2 35 0.100 greats in the follow control of modification must cuse other side if the follow of the follow of the follow of the follow for the following f	three tests muche box correspondence of 0.105% INCLUSI 0.0.084% INCLUSI 0.0.042% INCLUSI 0.1014 5 THAT WAS MADE TO RESENTE NECESSARY).	st be within ±5% nding to the state version of the	endard solution 9 g/210L FENANCE REPORT: OVER .19 TO OPERATE	being
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 2 004 3 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LIMETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT WHERE 230183 PEXPIRATOR 109/04	dard solution. All property of the state of	three tests muche box correspondence of 0.105% INCLUSI 0.0.084% INCLUSI 0.0.042% INCLUSI 0.0.042% INCLUSI 0.1014 5 THAT WAS MADE TO RESENTE NECESSARY). PRINT FULL NAME D'ANDREA, TONY TELEPHONE NUMBER (417) 864-1810	st be within ±5% nding to the state version of the	endard solution gg/210L TENANCE REPORT: OVER .19 TO OPERATE	being



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100 Fax: (314) 533-7328

Certificate of Analysis

Customer Name Intoximeters, Inc. 2081 Craig Road

St. Louis, Mo 63146

Test Date: 13-Aug-2013

Lot # AG322402

Exp. Date 12-Aug-2015 <u>Cyl. Type</u> 108 Component

Certified Concentration 0.100 ± 2% BrAC (272 ppm)

⊑tne Nitr

Balance '

Ethanol Nitrogen

Certification Traceable to N.I.S.T. RGM Ethanol Standards:

Serial No.	Concentration .	Serial No.	Concentration
EB0010581	391.8 ppm	EB0010603	392.5 ppm
EB0010570	259.8 ppm	EB0010559	258.9 ppm
EB0010376	209.0 ppm	EB0010595	208.9 ppm
EB0010265	103.7 ppm	EB0010562	104.9 ppm
	52.22 ppm	EB0010579	52.94 ppm
EB0010681	52.22 ppm	EB0010379	62.94 ppm

Analytical Method:

NDIR

Digitally signed by Quality Control Date: 2013,08.13 14:31:53 -05:00 Reason; Dry gas standard certification of analysis Location: Alreas USA LLC (Leb)

Analyst:

Rod Marsala

ISO 17025;2005 A2LA accredited. Certificate Number 2989.01



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM



PERMIT TYPE II

TONY D'ANDREA

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

DATAMASTER, INTOX EC/IR II

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

DATE9/4/2013	Want
DATE	DIRECTOR OF STATE PUBLIC HEALTH LABORATORY
NUMBER 230183	Dal Vasterly
EXPIRES 9/4/2015	acting director DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES
AO 590-0771 (6-10)	LAB-4 (R6:10)



INSTRUMENT OPERATOR CARD The named cardholder is authorized to operate an evidential breath alcohol



D'ANDREA, TONY Operator

Permit No 230183

Date Issued 9/4/2013 Date Expires 9/4/2015